







### METCHRO LED LIGHTS: 3 YEAR WARRANTY

#### METCHRO LIGHTS WARRANTY

- 1. Warranty is specified in the description section for every light. Warranty begins on the purchase date of the end user.
- 2. This warranty is applicable only to the original purchaser.
- 3. Metchro inc. is not and will not be held responsible for any damage or violations that may occur to the vehicule on which a Metchro part is

installed. This includes, but is not limited to, paint damage, body damage and law infractions. It is solely the 4. responsibility of the client to

ensure that the part is conforming to the vehicle's specifications and other laws to which the cehicule must abide. Warranty does not cover any labour cost or damages due to accidents, abuses, mishandling of the parts, impropoer

#### **SALES POLICIES**

- 1. All invoices will be for a minimum of 100\$.
- 2. All claims for shortage must be made within 10 days of receiving the product.
- 3. All products are F.O.B. St-Hyacinthe, Québec.
- 4. Terms are net 30 days.
- 5. All applicable taxes and charges are in extra to price list.

#### WARRANTY AND RETURN POLICIES

- 1. All returns and warranty claims must be done with the Metchro's consent and must have an authorization number.
- 2. Defective parts must be accompanied with a filled out claim form, the sales invoice and 4 pictures :
  - Picture of the entire truck
  - Picture to see the installation hardware
  - Picture of the problem
  - Picture proving that the rubber inslators were properly installed (Fenders only)

#### SURFACE PREPARATION PROCEDURE FOR STICKING 3M ADHESIVE TAPE

#### IMPORTANT NOTICE : DO NOT USE BRAKE CLEANER TO CLEAN SURFACE

- 1. The truck should be in a environment having an ambient temperature of 15 to 30 degrees C.
- 2. Get the surface well cleaned with soapy water. Completely dry the surface.
- 3. Take a clean piece of cloth (no tissue papers), generously dip in isopropyl alchohol and clean the surface untill cloth. Let the surface dry out (maximum 5 minutes).
- 4. Stick the accessory onto the cleaned surface very carefully and press the accessory on the surface with hands. there is no firt on the (the accessory will stick instantly).
- 5. Let the accessory dry for 24 hours for maximum adhesion, before putting the truck in service.

METCHRO.COM

NFO@METCHRO.COM

## **GENERATION OVAL LIGHTS**

# **LED GENERATION** SIDE MARKER LIGHTS





D608 (8" SPACING) D610 (10" SPACING) D612 (12" SPACING)





## **16 DIODES LIGHTS**



## 3/4" Round LED

## **BUTTON LIGHTS (3 DIODES)**





AVAILABLE IN : D608 (8" SPACING)

D610 (10" SPACING) D612 (12" SPACING)

	3 DIODES 2 WIRES	
	MLED-B2A	Amber Marker light
	3 DIODES 2 WIRES MLED-B2R	Red Marker light
	3 DIODES 2 WIRES	
	MLED-B2CA	Clear Amber Marker light
	3 DIODES 2 WIRES	
	MLED-B2CR	Clear Red Marker light
6	3 DIODES 2 WIRES	
	MLED-B2W	Clear withe Marker light

2" Colored lens MLED-2A	2"	$\underbrace{\begin{array}{c} \\ \end{array}}_{l} \\ \underbrace{\begin{array}{c} \\ \\ \end{array}} \\ 2^{"} \\ \end{array} \\ 2^{"} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \end{array} \\$	<i>12</i> VOLT light with ribbed lens ( <b>AMBER</b> ) ( <b>9 DIODES</b> )
MLED-2R		2" Super value polycarbo	nate light with ribbed lens ( <b>RED</b> ) ( <b>9 DIODES</b> )
2" Clear lens	2"	$\begin{array}{c} & & & \\ & & & \\ \hline & & \\ & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \begin{array}{c} & & \\ & & \\ & & \\ & & \\ \end{array} \end{array}$	<i>12</i> VOLT
MLED-2CA		2" Super value polycarbonate light wit	h clear ribbed lens ( <b>AMBER LED</b> ) ( <b>9 DIODES</b> )
MLED-2CR		2" Super value polycarbonate light	with clear ribbed lens ( <b>RED LED</b> ) ( <b>9 DIODES</b> )
	2 1/2"	1. 2.1/2"	
2 1⁄2" Colored lens	2 1/2"	$ \begin{array}{c} & & \\ & & \\ & & \\ & \\ & \\ & \\ & \\ & \\ $	<i>12</i> VOLT
2 ½" Colored lens MLED-2HA	2 1/2"		<i>12</i> VOLT 11 with ribbed lens ( <b>AMBER</b> ) ( <b>13 DIODES</b> )
	2 1/2"	2 1/2" Super value polycarbonate lig	
MLED-2HA	2 1/2"	2 1/2" Super value polycarbonate lig	ht with ribbed lens ( <b>AMBER</b> ) ( <b>13 DIODES</b> )
MLED-2HA MLED-2HR		2 1/2" Super value polycarbonate lig 2 1/2" Super value polycarbonate $ \prod_{i=1}^{n} \prod_{j=1}^{n} \prod_{i=1}^{n} \prod_{j=1}^{n} $	yht with ribbed lens ( <i>AMBER</i> ) ( <i>13 DIODES</i> ) e light with ribbed lens ( <i>RED</i> ) ( <i>13 DIODES</i> )

INFO@METCHRO.COM



INFO@METCHRO.COM

4" round light with glow red & middle white (6 diodes)

TOLL FREE 1 877 223-1753



MLED-414RW

4" stop, turn and tail light & back up (10 RED diodes) & (4 WHITE for back up)

LIGHTS

**B SERIES / TPIG-3W** 

Wire harness



### **4" STOP TURN & TAIL & BACK UP** 10 RED & 4 WHITE DIODES



MLED-414R

4" stop, turn and tail light (RED) (14 DIODES)





TGRO-4R

Optional grommet Optional grommet

TGRO-4RC

4

MLED-414GR

# **6" OVAL LIGHTS**

## 6" OVAL LIGHTS, 14 DIODES






MLED-OB14A

Colored lens


Colored lens

MLED-OB14R










LED OVAL (RED) (14 DIODES)





LED OVAL, STOP / TURN / TAIL & BACK UP (10 *RED DIODES*) & ( 4 WHITE DIOTES)

INFO@METCHRO.COM

OM TOLL FREE 1 877 223-1753

STOP & TURN STOP & TURN TAIL TAIL BACK UP Colored lens MLED-OB14RW METCHRO.COM

## GROMMETS

### 2" ROUND GROMMET RUBBER GROMMET



**TGRO-2R** Open 2" round grommet

TGRO-2R TGRO-2RC



**TGRO-2RC** Close 2" round grommet

> 2" round rubber grommet (**OPEN**) 2" round rubber grommet (**CLOSE**)

### 2" 1/2 ROUND GROMMET RUBBER GROMMET



**TGRO-2HRO** Open 2″ ½ round grommet

TGRO-2HRO TGRO-2HR



**TGRO-2HR** Close 2" ½ round grommet

2" 1/2 round rubber grommet (**OPEN**)

2" 1/2 round rubber grommet (CLOSE)

### **4" ROUND GROMMET** RUBBER GROMMET



**TGRO-4R** Open 4" round grommet

TGRO-4R TGRO-4RC



**TGRO-4RC** Close 4" round grommet

4" round rubber grommet (OPEN)

4" round rubber grommet (CLOSE)

6

#### **INFO@METCHRO.COM**

### **OVAL GROMMET** RUBBER GROMMET



**TGRO-OBR** Open oval grommet



**TGRO-OBRC** Close oval grommet

TGRO-OBR TGRO-OBRC

TGRO-SQR

6" x 2" Oval rubber grommet (**OPEN**)

6" x 2" Oval rubber grommet (**CLOSE**)

## RECTANGULAR GROMMET RUBBER GROMMET



**TGRO-SQR** Open rectangular grommet

5" x 3" rectangular rubber grommet (OPEN)

## HARNESS & PIGTAIL

## **MD SERIES** DUAL FEMALE PIGTAIL





#### CAN BE PURCHASED IN ROLL OR BY UNIT



MD608	Dual terminal pigtail wire harness in coil (8" SPACING) (131 PLUGS)
MD608-P	Dual terminal pigtail wire harness by plug ( <b>8" LEADS</b> )
MD610	Dual terminal pigtail wire harness in coil (10" SPACING) (110 PLUGS)
MD610-P	Dual terminal pigtail wire harness by plug ( <b>10" LEADS</b> )

1 ROLL = 131 PIGTAIL CONNECTED TOGETHER

-P = 1 PIGTAIL ONLY

1 ROLL = 110 PIGTAIL CONNECTED TOGETHER

-P = 1 PIGTAIL ONLY

**METCHRO.COM** 

INFO@METCHRO.COM

## **FRONT HUBCAPS**

## FRONT HUBCAPS PERFECT FOR HUB OR STUD APPLICATIONS



MHUB-4N Chrome metal front hubcap with 4 notches



MHUB-5N Chrome metal front hubcap with 5 notches



**MHUB-6N** Chrome metal front hubcap with 6 notches

MHUB-4N	Chrome metal front hubcap (WITH 4 NOTCHES)
MHUB-5N	Chrome metal front hubcap (WITH 5 NOTCHES)
MHUB-6N	Chrome metal front hubcap (WITH 6 UNIVERSAL NOTCHES)

8

**INFO@METCHRO.COM** 

# 4" LIGHTS

#### FIT MOST 11" ¼ BOLT CIRCLE AND FIT MOST 20", 22" ½ & 24" ½ WHEELS



MHUB-FRP33

Chrome plastic ABS front hub cover with removable hubcap (10 X 33mm THREADED NUT COVERS)

MHUB-FR

#### REAR AXLE COVER KITS ABS CHROME PLASTIC

FRONT AXLE COVER KITS ABS CHROME PLASTIC

FIT MOST 11" ¼ BOLT CIRCLE AND FIT MOST 20", 22" ½

Top hubcap for front hub cover (un)

& 24" 1/2 WHEELS



Chrome plastic ABS rear hub cover with removable hubcap (10 X 33mm THREADED NUT COVERS)

#### FRONT & REAR AXLE COVER KITS ABS CHROME PLASTIC

Complet Kit



Complet front and rear Hubcap (2 front / 4 rear/ nut covers puller)

THUB-C1

MHUB-RP33

# METCHRO

# CUSTOM TRUCK ACCESSORIES

#### 6755 Choquette avenue, local #1 St-Hyacinthe, QC, Canada J2S 8L2

IMAGINING

WORKING

SHINNING

TEL :450 223-1753FAX :450 223-1300TOLL FREE :1 877 223-1753

METCHRO.COM INFO@METCHRO.COM